Bimat (With Brush) 3 mL 0.03%: Product Information

Bimat (with brush) 3 mL 0.03% is a topical solution containing bimatoprost. The “3 mL” refers to the volume in the container, while “0.03%” indicates the solution’s concentration. The brush is intended to help apply the liquid along the upper eyelash line. Product packaging and applicator instructions can vary, so read the leaflet supplied with the specific item before use.

Bimatoprost is a prostaglandin analogue. When applied to the upper eyelid margin for eyelash hypotrichosis, it may gradually increase eyelash length, thickness, and darkness. It can also be used in eye-care settings to lower pressure inside the eye, but that involves a different method of use. The eyelash-line directions below should not be substituted for instructions for use as eye drops.

What to expect

Eyelash changes happen gradually and differ from person to person. Some users may notice a difference after several weeks; fuller results can take up to 16 weeks of regular application. Continued use may be needed to maintain the appearance. If treatment is stopped, eyelashes can gradually return toward their original state.

Applying extra solution or using it more often does not necessarily improve results. Excess application may increase irritation or expose nearby skin to the solution. Follow the specific instructions on the product leaflet.

How to apply it to the upper lash line

For eyelash use, bimatoprost product information generally describes applying the solution once each evening to the skin at the base of the upper eyelashes. Use the supplied brush only as directed. If the leaflet specifies a disposable applicator, use a new one for each eye and discard it afterward.

1. Wash your hands and remove eye makeup.
2. Take out contact lenses before application.
3. Place one drop onto the applicator, rather than directly onto the eyelid.
4. Carefully trace the applicator along the skin at the base of the upper lashes.
5. Blot any solution that extends beyond the lash line with a clean tissue.
6. Follow the leaflet’s directions for cleaning or disposing of the brush.

Apply only to the upper eyelid margin for eyelash use. Do not apply to the lower lash line, and avoid putting the solution directly into the eye. Wipe away excess liquid to reduce contact with nearby skin, where unwanted hair growth or darkening may occur.

Contact lenses and hygiene

Remove contact lenses before applying the solution. Product information commonly recommends waiting at least 15 minutes before reinserting them; confirm the timing in the leaflet for your product.

Keep the bottle tip and application brush clean. Do not let the tip touch the eye, fingers, or other surfaces, and do not share the product or applicator. These precautions help reduce the risk of contamination. If the tip touches an unclean surface, ask a pharmacist or eye-care professional what to do.

Possible side effects

Some people experience itching, redness, dryness, irritation, or discomfort around the eyes. Eyelid skin can become darker, particularly if solution repeatedly reaches the surrounding area. Excessive or unintended application may also encourage hair growth where the solution contacts the skin.

Bimatoprost may increase brown pigmentation in the iris. This change can be long-lasting or permanent. Eyelashes may grow unevenly or differ in appearance between the eyes. Be aware of these possible changes and discuss concerns with an eye-care professional.

Stop using the product and seek advice if irritation is severe or persistent, or if you develop significant swelling, eye pain, discharge, or a change in vision. Seek urgent medical help for signs of a serious allergic reaction, such as facial or throat swelling or difficulty breathing.

Precautions

Tell an eye-care professional about existing eye conditions, previous eye surgery, and any other eye products you use. Bimatoprost can affect pressure inside the eye; people with eye-pressure concerns or those using other products that influence eye pressure may need particular guidance.

If you are pregnant, planning a pregnancy, or breastfeeding, ask a healthcare professional whether the product is appropriate for you. Do not apply it to the breast or any area that could come into direct contact with an infant.

Storage and handling

Follow the storage directions printed on the product packaging. Bimatoprost solution is generally stored within the temperature range specified in its leaflet, commonly 2°C to 25°C. Keep the container closed, away from excessive heat and out of children’s reach. Observe any instructions about how long the solution can be used after opening, and do not use it beyond its expiry date.

Conclusion

Bimat 0.03% solution with a brush is intended for careful application along the upper eyelash line when used to support eyelash growth. Changes take time, and results vary. Clean handling, precise application, and avoiding contact with the eye and surrounding skin are important. Check the product leaflet for instructions specific to its brush and packaging, and consult an eye-care professional if you are uncertain about use or experience concerning symptoms.